











Contact our friendly customer service department for help first. Replacements for missing or damaged parts will be shipped ASAP!

US office: Fontana UK office: Ipswich AU office: Truganina





Contact Us!

Do NOT return this item.

Contact our friendly customer service department for help first.



USER'S MANUAL

BED FRAME HU10066





Before You Start

- Read each step carefully before starting. It is very important to ensure each step followed in correct order, otherwise assembly difficulties may occur.
- Most of board parts are labeled or stamped on the raw edges. Have a check to make sure all parts are included.
- ⚠ Work in a spacious area, preferably on a carpet close to where the unit will be used.
- ⚠ Keep the handtools close at hand. Do not use power tools to assemble your furniture. They may scratch or damage the parts.









PART LIST

No	ITEM	Qty
Α	Headboard	1 pc
В	Footboard	1 pc
С	Headboard Leg (L&R)	2 pcs
D	Footboard Leg (L&R)	2 pcs
Е	Side Rail Left (A)	1 pc
F	Side Rail Left (B)	1 pc
G	Side Rail Right (A)	1 pc

No	ITEM	Qty
Н	Side Rail Right (B)	1 pc
I	Side Rail Leg	2 pcs
J	Slats (x6)	2 sets
K	Center Rail Supprt	2 pcs
L	Slat Support	4pcs
М	HB Leg Bracket Block	c 2 pcs

HARDWARE LIST

No	ITEM	Qty	
1	JCBC Bolt m6x30mm Blk	16 pcs	
2	JCBC Bolt m6x50mm Blk	8 pcs	
3	© Spring Washer 1/4" Rbw	20pcs	
4	© Flat Washer 1/4"IDx13mmOD Blk	20 pcs	

No	ITEM	Qty
5	Flat Head Chipboard Screw m4x32mm Rbw	24pcs
6	Wood Dowel 6mmx30mm	4 pcs
7	ALLEN KEY m4x110mm Blk	1 pc
8	ALLEN KEY m5x65mm Blk	1 pc
	5 6 7	Flat Head Chipboard Screw m4x32mm Rbw 6 Wood Dowel 6mmx30mm 7 ALLEN KEY m4x110mm Blk

05

STEP 1:


Unzip to open the back headboard cover as shown in the figure.

STEP 1.1:


Assemble the
Head Board Leg
(C) to Head
Board (A) as
shown using, JCBC
BOLT(1)with
Spring Washer
(3), Flat washer
(4) and securing
with ALLEN KEY
(7) .

STEP 1.2:


Assemble the Head Board Leg bracket block (M) to Head Board Leg (C) as shown using, Wood Dowel (6), JCBC BOLT (2), Spring Washer (3), Flat washer (4) and securing with ALLEN KEY (7).



STEP 1.1:




BACK VIEW




STEP 2:

Attach Side Rail Left (E,F) Side Rail Right (G,H) and Footboard Leg(D) to the Bed Side Rail Leg (I) as shown using JCBC BOLT(I) with Spring Washer (3), Flat washer (4) and securing with ALLEN KEY (I).




07

STEP 3: Tighten the 4 corners with Allen Key (8).




STEP 4:

Fix the Bed Slat Support Leg (L), to Bed Slat (J) and Center Rail Support (K) secure with JCBC bolt (2) as shown . Align the bed slat (J) to side rail and tighten with Csk Screw (5) as per diagram shown. (NOTE: THE SETUP MUST BE DONE AT THE DECIDED LOCATION FOR THE BED TO OBTAIN PERFECT STABILITY)



COMPLETE ASSEMBLY



NOTE: MUST TIGHTEN SCREWS PERIODICALLY SINCE SCREW WILL BECOME LOOSE WITH USE. CHECK TIGHTNESS OF ALL SCREWS EVERY 6-8 WEEKS.

Care and Maintenance

Use a soft, clean cloth that will not scratch the surface when dusting. Use of furniture polish is not necessary.

Should you choose to use polish, test first in an inconspicuous area. Using solvents of any kind on your furniture may damage the finish.

Never use water to clean your furniture as it may cause damage to the finish.

Liquid spills should be removed immediately. Using a soft clean cloth, blot the spill gently. Avoid rubbing.

Check bolts/screws periodically and tighten them if necessary.

Further advice about wood furniture care

It is best to keep your furniture in a climate-controlled environment. Extreme temperature and humidity changes can cause fading, warping, shrinking and splitting of wood.

It is advised to keep furniture away from direct sunlight as sun may damage the finish.

Proper care and cleaning at home will extend the life of your purchase. Following these important and helpful tips will enhance your furniture as it ages.