


**COSTWAY**<sup>®</sup>



**USER'S MANUAL**

**Inflatable Bed  
AP2134**

THIS INSTRUCTION BOOKLET CONTAINS **IMPORTANT** SAFETY INFORMATION. PLEASE READ AND KEEP FOR FUTURE REFERENCE.

**Please give us a chance to make it right and do better!**

Contact our friendly customer service department for help first.

Replacements for missing or damaged parts will be shipped ASAP!

**Follow Costway**

Visit us: [www.costway.com](http://www.costway.com)



# Contact Us!

## Do NOT return this item.

Contact our friendly customer service department for help first.



# Before You Start

- ⚠ Please read all instructions carefully.
- ⚠ Retain instructions for future reference.
- ⚠ Separate and count all parts and hardware.
- ⚠ Read through each step carefully and follow the proper order.
- ⚠ We recommend that, where possible, all items are assembled near to the area in which they will be placed in use, to avoid moving the product unnecessarily once assembled.
- ⚠ Always place the product on a flat, steady and stable surface.
- ⚠ Keep all small parts and packaging materials for this product away from babies and children as they potentially pose a serious choking hazard.

**WARNING: Remember not to use it while driving to avoid unnecessary trouble**

## Inflation Instructions

Using a DC12V or AC electric pump to inflate the inflatable bed: open the air nozzle cover plug the DC 12V or AC electric Pump into the power supply connect the medium nozzle to the electric Pump cover insert the nozzle into the air inlet of the bed, and turn on the power switch to inflate. The saturation of the inflation must be controlled at about 95%. Then turn off the power switch to stop inflation, remove the electric pump, and just cover the air nozzle cover for using.

## Deflation, Folding and Storage:

1. Open the air nozzle cover on the side of the air bed to make并 naturally deflated. If you need to deflate more quickly you can fold or squeeze the bed.
2. Press and release the remaining air in the bed when folding for multiple times.
3. Put the bed into a carrying case and store it in a clean and dry place for the next time use.

4. Regular Maintenance and cleaning of the inflatable bed.

## WARNING:

1. Do not get close to sharp objects during use and place them on a flat surface.
2. Do not get close to flammable objects or sources of ignition.
3. Do not use on water or near water
4. Please do not jump on the bed, which may cause personal injury or damage to the bed.
5. Please do not use the bed in a very cold place. Please inflate the airbed at a normal temperature. PVC materials will become hard and brittle in cold conditions and easily get damaged. Do not use any heating equipment or hair dryer because it will cause damage to the bed.
6. If the inflation bed is dirty just clean it with a damp cloth and do not use any chemicals.

***Patching Instructions:  
Needle eye repair***

1. After the bed is deflated, cover the nozzle and reduce the gas flow in the bed.
2. Take out the glue in the repair kit and add a drop of glue to the needle eye to complete the repair Wait for four hours before refilling.
3. If the needle eye is large, take a toothpick, apply the glue on the tip of the toothpick, apply it to the damaged area and fill the needle eye with glue.
4. After the repair is completed, wait for four hours before refilling.

***Repair scratches and burns***

1. After the bed is deflated, cover the nozzle and reduce the gas flow in the bed.
2. Find the patch material in the repair kit and cut a piece that needs to fully cover the broken seam.
3. Apply the glue to the damaged area, press the patch, and glue the edges of the patch.
4. Apply pressure to ensure there are no gaps on the rubber surface and press it with smooth, heavy objects.
5. Wait for eight hours before inflating and repair is completed.

***Flocking surface repair***

1. Carefully clean the repair area.
2. After drying, remove the patch, cut it and cover it over the damaged surface to allow the patch to be a little more than the surrounding leather
3. Apply a layer of glue to the patch and the damaged surface, and glue the edges of the patch to ensure a complete seal.
4. Squeeze it with a smooth, heavy object.
5. Press it with heavy objects for 24 hours, then inflate and the repair is completed.

**Welcome to visit our website and purchase our quality products!**

Your suggestions and comments for COSTWAY are really important to us!  
We sincerely solicit you to go back to our shop and leave a good rating in just a simple click. It would be quite encouraging if you could kindly do so like below:

★★★★★ Great products so far

February 24, 2019

Great products so far. Fast delivery, easy setup, and working without any issues.

**With your inspiring rating, COSTWAY will be more consistent to offer you EASY SHOPPING EXPERIENCE, GOOD PRODUCTS and EFFICIENT SERVICE!**

US office: Fontana, California

UK office: Ipswich



- \* Reward Points
- \* Exclusive Customer Service
- \* Personalized Recommendations
- \* Permanent Shopping Cart
- \* Order History

*5 Star Rating*



**We would like to extend our heartfelt thanks to all of our customers for taking time to assemble this product and giving us valuable feedbacks.**

