


COSTWAY



USER'S MANUAL Baby Walker

THIS INSTRUCTION BOOKLET CONTAINS IMPORTANT SAFETY INFORMATION. PLEASE READ AND KEEP FOR FUTURE REFERENCE.

Please give us a chance to make it right and do better!

Contact our friendly customer service department for help first.

Replacements for missing or damaged parts will be shipped ASAP!

Follow Costway











Contact Us!

Do NOT return this item.

Contact our friendly customer service department for help first.



Before You Start

Please read all instructions carefully and keep it for future reference.

General Warnings:

- △ Danger! Keep all small parts and packaging materials for this product away from babies and children, otherwise they may pose a choking hazard.
- ⚠ The product must be installed and used under the supervision of an adult.
- A Read through each step carefully and follow the proper order.
- A Remove all Packaging, separate and count all parts and hardware before Installation.
- ⚠ Please ensure that all parts are correctly installed, incorrect Installation can lead to a Danger.
- \triangle We recommend that, where possible, all items are assembled near to the area in which they will be placed in use, to avoid moving the product unnecessarily once assembled.
- ♠ Ensure a secure surface during construction, and place the product always on a flat, steady
 and stable surface.

Baby Walker Use Instructions

Dear users.

Thank you for your purchasing. Please read the instructions carefully before use and keep them for future reference. It is concerning correct and safe assembly and use of the baby walker. The child may be hurt if you do not follow these instructions.

Applicable age: 6-18 Months


The maximum bearing weight: 25 LBS

Precautions for use:

- 1. It is not intended for children weighing more than 25 lbs.
- 2. This car contains small parts before assembly. In order to prevent children from accidentally eating small parts, this car is only for adults to install; Do not use replacement parts other than those approved by the manufacturer; Fasteners recommended torque for 3 N * M
- 3. After the vehicle is assembled, please store the packaging bag properly. On the one hand, avoid the loss of important information of the packing bag, and on the other hand, avoid suffocation caused by children's play.
- 4. Never leave the child unattended.
- 5. Shall not place any load on the car otherwise it will affect the stability of the vehicle.
- 6. Before using this product please make sure that the height and all the locking devices are locked When be sure to lift the baby out first, and then use it again after confirming the height again.
- 7. WARNING! Make sure that the baby's feet touch the ground. When moving the baby walker, do not put the baby inside.

- 8. WARNING! You cannot use your car near stairs, thresholds, or steps. Use it in a flat place with no obstacles to ensure that the car does not tip over during normal use;
- 9. WARNING! It is forbidden for babies to play near heaters, stoves, etc. in this vehicle.
- 10. WARNING! Install the battery cover and make sure it is firm to avoid danger caused by children taking out the battery and playing;
- 11. WARNING! This car is not suitable for babies who cannot sit or stand on their own or can walk on their own;
- 12. It is recommended to perform maintenance after each use and the surface, can be cleaned with a wrung out wet towel Live part cannot be washed, and ensure the parts are not loose or damaged.
- 13. This product should be placed in a safe place:
- 14. The safe use period is up to 6 months.


Accessories details:



Combination method:


Step 1. Install the wheels

Put the front and rear wheels into the corresponding mounting holes of the Footwall, and install the wheels firmly in place.



Step 2. Install the rear bumper

Insert the guard bar into the mounting hole of the Footwall as shown in the figure, and install it in place. Then fix it with screws.



Step 3. Open the cart

- 1 Rotate the front of the car to erect as shown in the figure, and hear a "click" to indicate that it is in place.
- 2. Buckle the panel to the installation position of the front of the car as shown in the figure, and hear a "click" to indicate that it is in place.
- 3. Raise the backrest of the seat cushion as shown in the figure, and hear a "click" to indicate that it is in place.



Step 4. Install the rearview mirror

Insert the rearview mirror into the installation hole of the panel as shown in the figure.



Step 5. Install the music box

Unscrew the self-tapping screw of the battery cover and remove the battery cover as shown in the figure, then install the battery into the battery box (note that the distinction between "+" and "-" can not be installed backwards), finally close the battery cover and fix it with the self-tapping screw, press the music button on the power switch to play music.


WARNING!

- 1. This product use 2 x 1.5 V AA batteries.
- 2. Battery "+" "-" installation, cannot be installed backwards.
- 3. The rechargeable battery can't be charged.
- 4. Rechargeable batteries can only be charged under adult supervision.
- 5. Rechargeable batteries should be removed before charging.
- 6. Different types of batteries or old and new batteries can not be mixed.
- 7. The battery should be placed with the correct polarity.
- 8. Exhausted batteries should be removed from the toy.
- 9. Battery terminal can not be short-circuited.
- 10. Battery not be used as toys for children to play, to avoid danger.




Step 6. Install the seat cushion

As shown in the figure, buckle the corresponding buttons on your seat cushion to the holes on the seat panel and fasten it. Insert the seat cushion backrest button into the mounting hole of the plastic plate, and place the seat back on the backrest plastic plate. Fix the positioning hole on the positioning button on the plastic plate of the backrest.



Step 7. Preventers Assembly


Insert five preventers into corresponding holes under the bottom tray respectively. Please make sure they are pressed to the bottom to avoidfalling-off, and rubbing the floor.



Function operation

Step 1.Adjust the height

As shown in the figure, press the height adjustment buttons of the three supporting feet, and adjust the height of the vehicle by adjusting the three supporting feet at the same height.



Step 2. Activity Walker conversion operation (1)


Turn on the connection button between the panel and the front of the car as shown in the figure, then flip the panel and separate it from the front of the car.





Step 3. Activity Walker conversion operation (2)

Turn on the buttons between the left and right feet and the chassis as shown, and then separate the left and right foot components of the panel from the baby walker.



The main manufacturing materials: Plastic, plastic coating, chemical fiber cloth, sponge

Reminder:

It is recommended that the use time limit should not exceed 30 minutes to prevent your child from playing under fatigue.