

**USER'S MANUAL**  
**Air Body Saw**  
**TL35227**

THIS INSTRUCTION BOOKLET CONTAINS **IMPORTANT** SAFETY INFORMATION. PLEASE READ AND KEEP FOR FUTURE REFERENCE.


--	--

## Before You Start

- ⚠ Please read all instructions carefully.
- ⚠ Retain instructions for future reference.
- ⚠ Separate and count all parts and hardware.
- ⚠ Read through each step carefully and follow the proper order.
- ⚠ We recommend that, where possible, all items are assembled near to the area in which they will be placed in use, to avoid moving the product unnecessarily once assembled.
- ⚠ Always place the product on a flat, steady and stable surface.
- ⚠ Keep all small parts and packaging materials for this product away from babies and children as they potentially pose a serious choking hazard.

No.	Ref.No.	Items	pcs
1	<b>XX909N01</b>	Housing	1
2	90930	Valve Seat	1
3	87606	Inlet Bushing	1
4	GB/T70.1	Screw M4X20	4
5	GB/T93	Spring Washer Ø4	4
6	90908	Trigger	1
7	90909	Trigger Lever	1
8	90910	Double-Head Spring	1
9	GB/T879.1	Spring Pin Ø3X16	1
10	GB/T879.1	Spring Pin Ø3X24	1
11	87611	Screw	1
12	81103	O-Ring(Screw)	1
13	81211	O-Ring	1
14	<b>90931</b>	<b>Air Regulator</b>	1
15	81106	Spring(Valve)	1
16	90911	Throttle Valve	1
17	85103	O-Ring	1
18	81104	O-Ring	1
19	90912	Valve Bushing	1
20	90913	Valve Gasket	1
21	90914	Seat Gasket	1
22	<b>90907</b>	<b>Screw</b>	3
23	GB/T96	Washer Ø3	1
24	90915	Reverse Valve	1
25	90916	Valve Sleeve	1
26	90917	Valve Case	1
27	90918	Bushing-A	1
28	90919	Rear Gasket	1

29	90920	Cylinder	1
30	<b>90921</b>	<b>Front Gasket</b>	1
31	90922	Rear Bumper	1
32	90923	Piston	1
33	90924	Front Bumper	1
34	GB/T819.1	Screw M5X10(Stainless Steel)	2
35	GB/T77	Screw M4X6	2
36	90925	Bushing-B	2
37	90903	Blade Guide	1
38	90904	Chuck Cover	1
39	90926	Reset Spring	1
40	90905	Guide Plate	1
41	90927	Blade Chuck	1
42	GB/T77	Set Screw M5X4	2
43	GB/T77	Set Screw M8X6	2
44	XX90928A	Riding Frame(L.)	1
45	90929A	Steel Blade-32T	1
	90929B	Steel Blade-24T	1
46	GB/T5356	Key Wrench-2mm	1
47	GB/T5356	<b>Key Wrench-4mm</b>	1
48	GB/T819.1	Screw M4X8(SS)	1
49	GB/T879.1	Spring Pin Ø3X6	2
50	<b>90906</b>	<b>Front Washer</b>	1



---